


**HMR BT**

	A	A <sub>1</sub>	B	B <sub>1</sub>	C	D	E
	73,2	64,1	63,7	27,7	39,1	16,7	55,8
	2.9	2.5	2.5	1.09	1.54	0.66	2.2
Mounting Hole diameter mm (in.)							Ø 45 (1.77)



All specifications subject to change without notice

**NOTE:** Specifications and design are subject to change without notice for further improvement.

\* IPX7 Water Resistance Rating: This product has been tested with withstand immersion in water, up to 1 meter (3.28 ft.) deep, for up to 30 minutes (when properly installed). Note - while designed to be water resistant, this product should never be submerged under water for prolonged periods or subjected to activity that creates pressure on it that exceeds its depth rating.

**BLUETOOTH:** The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Elettromedia spa is under license.

**aptX™ HD:** Qualcomm aptX™ HD is a product of Qualcomm Technologies, Inc. and/or its subsidiaries. Qualcomm is a trademark of Qualcomm Incorporated, registered in the United States and other countries. aptX is a trademark of Qualcomm Technologies International, Ltd., registered in the United States and other countries and any use of such marks by Elettromedia spa is under license.

**www.elettromedia.it**

Strada Regina Km 3,500 - Margnano  
62018 Potenza Picena (MC) Italy  
T +39 0733 870 870 - F +39 0733 870 880

The Sound Experience

# HERTZ

Qualcomm aptX™ HD Bluetooth

RECEIVER

## HMR BT

WATERPROOF BLUETOOTH

QUICK START GUIDE

The User's Manual is also available on our web site [www.hertz-audio.com](http://www.hertz-audio.com)

www.hertz-audio.com

**Precauzioni** / Sicherheitsvorkehrungen / Precauções / 注意事項

for your safety, while boating, keep the volume to a level at which external sounds can be heard.

This unit uses precision parts and components for its operation. In the event of any operating issues, never open the case or disassemble the unit. Contact your Hertz dealer or service center.

**FCC STATEMENT**

**2.1** This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) This device may not cause harmful interference.

(2) This device must accept any interference received, including interference that may cause undesired operation.

**2.2** Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

**FCC ID: 2ASUD-HMRBT**

**NOTE:** This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

**FCC Radiation Exposure Statement.**

This equipment complied with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20 cm between the unit & your body.

The Bluetooth word mark and logos are registered trademarks owned by the Bluetooth SIG, Inc. and any use of such marks by Elettromedia spa is under license. Other trademarks and trade names belong to their respective owners.

IC warning

This device complies with Industry Canada's license-exempt RSS standard(s). Operation is subject to the following two conditions:

(1) This device may not cause interference

(2) This device must accept any interference, including interference that may cause undesired operation of the device.

This Class B digital apparatus complies with Canadian ICES-0003. Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes:

(1) l'appareil ne doit pas produire de brouillage

(2) l'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.

This equipment complies with IC radiation exposure limits set forth for an uncontrolled environment. The antenna should be installed and operated with minimum distance of 20 cm between the radiator and your body. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

Cet appareil est conforme aux limites d'exposition aux rayonnements de la IC pour un environnement non contrôlé. L'antenne doit être installé de façon à garder une distance minimale de 20 centimètres entre la source de rayonnements et votre corps. L'émetteur ne doit pas être colocalisé ni fonctionner conjointement avec à autre antenne ou autre émetteur.

changes or modifications to this unit not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

**IC ID: 24882-HMRBT**

**Specifiche tecniche** / Spezifikationen / Técnicas / 技術仕様 / Especificações

Bluetooth Version 5.0 with Qualcomm® aptX™ HD audio

- A2DP (Advanced Audio Distribution Profile)
- AVRCP 1.5 (Audio/Video Remote control profile)
- SSP (Simple Secure Pairing)

Up to 10m (30ft.)

Maximum range is achieved in line-of-sight installations, actual range will vary based on installation specifics.

4Vrms x 2 (L/R)

8-28V dc

Negative Ground

2A (Mini ATC type)

-20°C to 70°C (-4°F to 158°F)

IPX7 (IEC60529)

73,7 x 63,7 x 16,7 2,9 x 2,5 x 0,66

0,153 0,338 (including the cable)

FML024 REV.22A



