

HERTZ
The Sound Experience

POWER FOR THE WAVES PURE MARINE CERTIFIED PRODUCT



marine

**PRODUCT
INFORMATION**

Elettromedia 2020

Technology  Art of Sound
Manufactured by
elettromedia Italy

hertzaudiovideo.com

POWER FOR THE WAVES
FOR THE PURE MARINE
CERTIFIED PRODUCT

200W
MOSFET POWER
50 W X 4

HMR 50

DIGITAL MEDIA RECEIVER



SPECIFICATION	
DISPLAY	3.5" COLOR TFT IPS
PEAK POWER @ 4 Ω	4 x 50 W
FRONT PANEL IPX RATING	IP66
MULTI-ZONE	3
LINE OUT	3 (1 x L + R per zone)
SUBWOOFER OUT	1 (Low Pass 60-80-100 Hz)
AUX INPUT	1 x L + R
EQUALIZER	CUSTOM 8 BANDS
CAMERA IN	Yes
BATTERY VOLTAGE GAUGE	Yes
SOURCES	
TUNER	AM/FM with RDS (where available) Weather band
USB	Yes
IPOD/IPHONE	Yes
DAB+ READY	Yes
SIRIUSXM READY	Yes
NMEA 2000 READY	Yes
BLUETOOTH	
	5.0
	Audio streaming with ID3 Tag Display
	APTX (CD AUDIO QUALITY)
	REMOTE APP CONTROLL
SIZE & MOUNTING	
Unit Size mm (in.)	W 146 (5.75) x H 105 (4.13) x D 132 (5.2)
Mounting Hole size mm (in.)	W 120 (4.72) x H 50 (1.97)
Mounting Depth mm (in.)	98 (3.86)
Mounting Method	Screw



IP66

UV
RESISTANTWATER JET
RESISTANTSALT FOG
PROOFDUST
INTRUSION
RESISTANT

PURE MARINE DESIGN

HMR 10 features IP66 protection grade, ASTM-D4329 standards for UV resistance and ASTM-B117 for salt fog operability, giving you unstopped pleasure season after season.

CONNECTIVITY

USB
2.0DAB+
Digital Audio Broadcasting5.0
BluetoothiPHONE
iPADAM/FM
RADIOWEATHER
BANDaptX
CSRCAMERA
INPUT

AUX-IN



SUBWOOFER
OUTSiriusXM
READY

UNPARELLED PERFORMANCE WITH ANY SOURCE

HMR 50 advanced connectivity includes DAB+ Ready™, SiriusXM-Ready™, Bluetooth APTX (CD Audio quality), USB 2.0 port (iPad/iPhone control) a to convert your deck in a real multimedia environment. The FM (RDS for EU)/AM PLL radio with Marine Weather Band completes the standard equipment.



- The large 3.5" full color TFT IPS display remains visible even during daytime navigation and the big buttons make it easy operating while cruising.
- Multicolor button light for a perfect match with console boat.
- The dedicated control App (for Apple/Android) enhances the user experience, making the sound fine tuning and file navigation a breeze.
- The powerful 8 band digital equalizer will support you finding the best sound.
- Just push the dedicated button to play your source at same volume in the whole vessel, transforming your boat in a dance floor.
- HMR 50 features 3 pairs of stereo outputs providing the ability to create 3 independently controlled listening areas (FLYBRIDGE, AFT DECK, CABIN) to obtain the perfect sound everywhere.
- Voltage indicator to check-up battery status



POWER FOR THE WAVES
FOR THE PURE MARINE
CERTIFIED PRODUCT

200W
MOSFET POWER
50 W X 4

HMR 20

DIGITAL MEDIA RECEIVER




SPECIFICATION	
DISPLAY	3" COLOR TFT IPS
PEAK POWER @ 4 Ω	4 x 50 W
FRONT PANEL IPX RATING	IP66
MULTI-ZONE	2
LINE OUT	2 (1 x L + R per zone)
SUBWOOFER OUT	1 (Low Pass 60-80-100 Hz)
AUX INPUT	1 x L + R
EQUALIZER	4 PRESET
CAMERA IN	-
BATTERY VOLTAGE GAUGE	Yes
SOURCES	
TUNER	AM/FM with RDS (where available)
USB	Yes
IPOD/IPHONE	-
DAB+ READY	Yes
SIRIUSXM READY	-
NMEA 2000 READY	-
BLUETOOTH	5.0 Audio streaming with ID3 Tag Display - -
SIZE & MOUNTING	
Unit Size mm (in.)	W 146 (5.75) x H 105 (4.13) x D 132 (5.2)
Mounting Hole size mm (in.)	W 120 (4.72) x H 50 (1.97)
Mounting Depth mm (in.)	98 (3.86)
Mounting Method	Screw



PURE MARINE DESIGN

HMR 10 features IP66 protection grade, ASTM-D4329 standards for UV resistance and ASTM-B117 for salt fog operability, giving you unstopped pleasure season after season.

CONNECTIVITY




YOUR TRUSTED FRIEND IN EVERY CRUISE

HMR 20 turn every cruise in an exciting adventure bringing the music of your favorite artist to open water. The powerful (RDS)/ AM PLL radio and the extended connectivity powered by DAB+ Ready, Bluetooth audio streaming and USB 2.0 port will liven up your trip with tons of musical contents.



- The large 3" full color TFT IPS display remains visible even during daytime navigation and the big buttons make it easy operating while cruising.
- Multicolor button light for a perfect match with console boat.
- Customize the sound with 4 EQ preset created by Hertz audio engineer.
- HMR 20 features 2 pairs of stereo outputs providing the ability to create 2 independently controlled listening areas.
- Voltage indicator to check-up battery status



POWER FOR THE WAVES
FOR THE PURE MARINE
CERTIFIED PRODUCT

200W
MOSFET POWER
50 W X 4

HMR 10

DIGITAL MEDIA RECEIVER



SPECIFICATION	
DISPLAY	2.8" DOT Matrix display
PEAK POWER @ 4 Ω	4 x 50 W
FRONT PANEL IPX RATING	IP66
MULTI-ZONE	-
LINE OUT	2 x L + R (FRONT + REAR)
SUBWOOFER OUT	-
AUX INPUT	1 x L + R
EQUALIZER	3 PRESET
CAMERA IN	-
BATTERY VOLTAGE GAUGE	-
SOURCES	
TUNER	AM/FM
USB	Yes
IPOD/IPHONE	-
SIRIUSXM READY	-
NMEA 2000 READY	-
BLUETOOTH	2.1 Audio streaming - -
SIZE & MOUNTING	
Unit Size mm (in.)	Diameter 113 (4.45) x D 96.5 (3.79)
Mounting Hole size mm (in.)	89.5 (3.52)
Mounting Depth mm (in.)	72 (2.83)
Mounting Method	U-Bracket

KEY FEATURES




Customize the sound with 4 EQ preset created by Hertz audio engineer.

CONNECTIVITY



AUX-IN



POWER FOR THE WAVES
FOR THE PURE MARINE
CERTIFIED PRODUCT

200W
MOSFET POWER
50 W X 4

HMR 10 D

DIGITAL MEDIA RECEIVER




SPECIFICATION	
DISPLAY	2.8" DOT Matrix display
PEAK POWER @ 4 Ω	4 x 50 W
FRONT PANEL IPX RATING	IP66
MULTI-ZONE	-
LINE OUT	2 x L + R (FRONT + REAR)
SUBWOOFER OUT	-
AUX INPUT	1 x L + R
EQUALIZER	3 PRESET
CAMERA IN	-
BATTERY VOLTAGE GAUGE	-
SOURCES	
TUNER	AM/FM with RDS (where available)
DAB+ READY	Yes
USB	Yes
IPOD/IPHONE	-
SIRIUSXM READY	-
NMEA 2000 READY	-
BLUETOOTH	2.1 Audio streaming - -
SIZE & MOUNTING	
Unit Size mm (in.)	Diameter 113 (4.45) x D 96.5 (3.79)
Mounting Hole size mm (in.)	89.5 (3.52)
Mounting Depth mm (in.)	72 (2.83)
Mounting Method	U-Bracket

KEY FEATURES



Customize the sound with 4 EQ preset created by Hertz audio engineer.



CONNECTIVITY




POWER FOR THE WAVES
FOR THE PURE MARINE
CERTIFIED PRODUCT

HMC D1

REMOTE CONTROL
FOR HMR 50



SIZE & MOUNTING	
Unit Size mm (in.)	W 146 (5.75) x H 105 (4.13) x D 80 (3.15)
Mounting Hole diameter mm (in.)	Ø 75 (2.95)
Mounting Depth mm (in.)	46 (1.81)
Mounting Method	Screw



PURE MARINE DESIGN

HMC D1 features IP66 protection grade, ASTM-D4329 standards for UV resistance and ASTM-B117 for salt fog operability, giving you unstopped pleasure season after season.

PERFECT CONTROL, EVERYWHERE

HMC D1 allows to replicate every function of the main unit HMR 50 in every place of the boat you desire, maximizing the onboard comfort.




POWER FOR THE WAVES
FOR THE PURE MARINE
CERTIFIED PRODUCT

HMC U1

REMOTE CONTROL
FOR HMR 50, HMR 20, HMR 10 D, HMR 10



SIZE & MOUNTING	
Unit Size mm (in.)	W 68 (2.68) x H 58 (2.28) x D 46,4 (1.83)
Mounting Hole diameter mm (in.)	Ø 45 (1.77)
Mounting Depth mm (in.)	62,6 (2.47)
Mounting Method	Screw



WATER SPORT READY

Play your favorite song and pump-up the volume while swimming in open water. Thanks to IPX7 certification you can install HMC U1 remote controller freely anywhere on the boat, adding fun to every cruise.